

James Yost
Chair
Idaho

W. Bill Booth
Idaho

Guy Norman
Washington

Tom Karier
Washington



Northwest **Power** and **Conservation** Council

Jennifer Anders
Vice Chair
Montana

Tim Baker
Montana

Ted Ferrioli
Oregon

Richard Devlin
Oregon

April 3, 2018

MEMORANDUM

TO: Power Committee

FROM: John Fazio

SUBJECT: Proposed joint California-Northwest process to share analytical data and methods

BACKGROUND:

Presenter: John Fazio, Senior Systems Analyst

Summary: This memo is to inform the Council that staff will explore participating in a proposed project to conduct a west-wide adequacy study. Staff has been asked to join in a study designed by technical experts from the Northwest and California. Given the anticipated increase in variable energy resources (e.g. solar and wind) and the corresponding increase in balancing reserve needs, it makes sense to examine how to better share Northwest and California resources. Recently, the heads of the CPUC and CEC have asked the CAISO to work with the Bonneville Power Administration to study the potential for expanding the transmission transfer capability between the Northwest and California, particularly considering the problems with the Aliso Canyon gas storage field (letter attached). The concern is that studying only the transmission and not the generation will provide a narrow perspective of anticipated problems and potential solutions. On the generation side, however, existing west-wide analytical models generally lack the detail to properly assess the operation of the Northwest's hydroelectric system. Thus, the idea is to bring modeling experts together who can design a way to combine California

and Northwest analytical methods to better assess the adequacy of the west-wide power supply.

Relevance: The Council's resource adequacy assessments and power plan resource strategies include anticipated energy exchanges between Northwest and California utilities. By participating in this project, the Council will gain valuable information regarding California modeling methods and resource data, which will make adequacy assessments and power plan resource strategies more accurate. Additionally, California entities will gain a better understanding of the operation of the Northwest power system and a more accurate estimate of potential imports from the Northwest, which will also improve their resource plans.

Workplan: COUN-4: Review the Resource Adequacy Assessment Advisory Committee assumptions regarding availability of imports.

Background: Northwest and California utilities have benefited by sharing resources through the AC and DC transmission interties for years. In the past the Northwest has been a winter-peaking region with generally ample surplus during summer when California's demand is highest. Conversely, California generally has surplus during winter, when the Northwest faces its highest need. Over the past 20 plus years, the development of variable generation resources (e.g. wind and solar) and increased demand-side resources (e.g. roof-top solar) have complicated the operation of power systems in both California and in the Northwest. Of concern is the increasing amount of balancing reserves needed to offset variable generation and uncertainties in demand. Some argue that increasing the transmission capability between the two regions would significantly benefit both in dealing with these increasing needs. To properly assess the potential benefit, however, both the transmission and generation systems must be analyzed properly.

**CALIFORNIA PUBLIC UTILITIES COMMISSION**

505 VAN NESS AVENUE
SAN FRANCISCO, CA 94102-3296
www.cpuc.ca.gov

**CALIFORNIA ENERGY COMMISSION**

1516 NINTH STREET
SACRAMENTO, CA 95814-5512
www.energy.ca.gov

February 15, 2018

Mr. Steve Berberich
President and Chief Executive Officer
California Independent System Operator
P.O. Box 639014
Folsom, CA 95763

Transmitted electronically

Re: Request for Sensitivity Case in the California Independent System Operator 2018-2019 Transmission Planning Process – Increased Capabilities for Transfers of Low Carbon Electricity between the Pacific Northwest and California.

Dear Mr. Berberich:

California Governor Edmund G. Brown, Jr. has directed me, Chair Robert B. Weisenmiller, to develop a plan that would allow for the shut down of the Aliso Canyon Natural Gas Storage facility (Aliso Canyon) in ten years, which I conveyed to President Michael Picker, California Public Utilities Commission (CPUC) and cosigner of this letter, in a letter dated July 19, 2017. Implementing a plan and accomplishing the timely phase-out, while maintaining system reliability (gas and electric), will require a concerted effort on the part of the utilities, Energy Commission, CPUC, and California Independent System Operator (California ISO). The CPUC has already opened up an Order Instituting Rulemaking (OIR) looking at the medium term closure of the Aliso Canyon. In January 2018, the California Center for Science and Technology (CCST) released their legislatively directed report detailing their review of critical parameters including necessity for storage, health and environment risks and changing impacts of California climate policy.¹

Phasing out Aliso Canyon usage and potential impacts on the gas-fired generation fleet need to be considered from the perspective of reliability of electricity supply to southern California more generally and the Los Angeles Basin in particular, as well as the role those resources play in providing adequate system capacity and flexibility overall. Study efforts have begun both under the CPUC's OIR as well as the California ISO's own study processes. However, we are seeking your support in providing focus on one area in particular: transmission.

As it was identified in the CCST study, expanded transmission capability is an important option available to us. Clearly, increasing the transfer of low-carbon supplies to and from the Northwest

¹ California Council on Science and Technology, *Long-Term Viability of Underground Natural Gas Storage in California*, January 2018, http://ccst.us/projects/natural_gas_storage/publications.php. Topics reviewed were: 1) What risks do California's underground gas storage facilities pose to health, safety, environment and infrastructure? 2) Does California need underground gas storage to provide for energy reliability through 2020? 3) How will implementation of California's climate policies change the need for underground gas storage in the future?

can be one of the multiple puzzle pieces that we must examine to build a cumulative phase out strategy. Toward this end, we are requesting a specific sensitivity case be included in the 2018-2019 California ISO transmission planning process (TPP). It is time-critical that we act now to evaluate key options to increase transfer ratings of the AC and DC Intertie and assess what role these systems can play in displacing generation whose reliability is tied to Aliso Canyon. The insights gained from the sensitivity can be used to inform a broader assessment of Aliso Canyon Phase-Out options that would include, additional energy efficiency, demand response, storage, as well as overall transmission project additions if any emerge in this TPP.

A synopsis of the primary elements of the sensitivity we are requesting "Increased Capabilities for Transfers of Carbon-Free Electricity between the Pacific Northwest and California" is provided later in this letter; in short, it would include considerations such as:

- Increasing the current dynamic transfer capability limits from 400 MW to some substantially higher credible level supported by engineering analyses;
- Automating of manual controls for essential Bonneville Power Administration (BPA) facilities, primarily in support of sub-hourly scheduling of the Pacific DC Intertie;
- Potentially increasing the capacity rating of the Pacific AC and DC Interties, as well as consideration of intra-California paths that could otherwise be limiting;
- Assigning some resource adequacy (RA) value to hydro generation imports that could be shaped through unused storage capacity potentially available in the Northwest.

California & Northwest Diversity Opportunities – Traditional and Emerging

The rationale for pursuing this sensitivity is the hope it can illuminate potential benefits (and costs) of building on the long history of exchange between the Pacific Northwest and California entities. This has become even more urgent with the potential phase-out of Aliso Canyon looming large, and the apparently increasing reliance on these paths. As observed over this past summer, the loadings on the Pacific AC and DC Interties have increased in part to meet demand for some Aliso Canyon-dependent replacement generation.

Moreover, rapidly evolving markets and generation resource availability only increase the benefits as highlighted by:

- ✓ Emerging initiatives to enhance the Energy Imbalance Market and potential day-ahead market opportunities;
- ✓ Continuing and increasing goals for reducing the greenhouse gas (GHG) emission footprint;
- ✓ Increasing need for and value of flexible system with ramping generation for reliability;
- ✓ Changing dynamics of surplus renewable sales during certain hours and periods of the year;
- ✓ Pursuing use of low-cost generation resources (new construction or existing system diversity).

Goals that California and the Pacific Northwest – BPA in particular - have in common that can be served by a policy evaluation include:

- ✓ Making best use of existing infrastructure and corridors;
- ✓ Evaluating opportunities to enhance transfer capability on Pacific AC and DC Interties;

- ✓ Assessing potential for optimizing the British Columbia Hydro and BPA hydro systems to allow storage of BPA surplus non-firm energy in British Columbia facilities and thus create preferred timing and shaping of market products.

Synopsis: Primary Elements of the Increased Capabilities Sensitivity Case

Elliot Mainzer, Administrator of BPA, has indicated his support for a team effort to illuminate these potential capability increases. Details of the sensitivity case will need to be developed through staff-to-staff discussions, but four elements of primary interest now under discussion with BPA are summarized as follows:

Increasing dynamic transfer capability limits beyond 400 MW. Conduct engineering analyses to determine an upper limit on dynamic transfer capability from the BPA system. Reflect BPA Reliability Action Scheme (RAS) automation efforts and the relationships to voltage variability and stability concerns within both the BPA system and the broader Northwest grid.

Automating manual controls on key BPA infrastructure. Assume that within a five-year horizon BPA (at Celilo) and operators at Sylmar deploy necessary upgrades to the automatic generation control and Energy Management Systems (EMS) operating at the converter stations to facilitate intra-hour scheduling on the Pacific DC Intertie and perform sensitivity analyses to assess the impacts to Northwest hydro energy transfer capability from a reliability and ramping perspective to support the goal of closing Aliso Canyon.

Increasing rated capacity of AC Intertie and Pacific DC Intertie. Explore the costs and benefits of potential increases to AC and DC intertie capacity with the Pacific Northwest, considering a range of options as well as assessing downstream impacts to transmission within California.

Assigning some RA value to firm zero-carbon imports or transfers. Develop a bounding case that assumes maximal utilization of existing infrastructure investments supporting Energy Imbalance Market operations of participating entities in the Northwest, as well as the integration of synchro-phasor data into control room operations. This case will inform further study and explore the maximum annual expected Northwest hydro import capability of the California ISO grid to estimate an upper bound on avoided GHG emissions assuming that RA/RPS counting criteria are not limiting.

These elements are designed in part to support the California ISO pursuit of 15 minute scheduling with BPA, and to affirm that although seasonal swaps can be an accounting hurdle, they could ultimately reduce coal in Northwest in the winter, reduce California solar curtailment during the day, and help with peak during the spring and winter when there is excess hydroelectricity from the Northwest.

Concluding Thoughts

Elliot Mainzer has indicated his support for this effort to illuminate these potential capability increases. Toward this end, he has offered his staff's assistance to provide inputs that could be a useful complement to California activities under the TPP.

There clearly is appreciable technical team talent across the Energy Commission, the CPUC, BPA, and California ISO. In close cooperation with the transmission system owners, we should be well positioned to ensure thoughtful development of the sensitivity parameters. The Energy

Mr. Steve Berberich

Page 4

February 15, 2018

Commission urges that our staffs continue delineating the concept and underlying assumptions in a timely way for this sensitivity to be included in, and implemented through, the Unified Planning and Assumptions Study Plan. We have asked Al Alvarado, (916) 654-4749, al.alvarado@energy.ca.gov, to lead this effort for the Energy Commission staff. We have had initial productive discussions with your staff.

The sensitivity is directly responsive to California's statutory directives for carbon reduction and is consistent with the Energy Commission's *2017 Integrated Energy Policy Report (2017 IEPR)*ⁱ and the CPUC's Reliability Base Case submittal. We are ready to continue this engagement to reach consensus in a timeframe consistent with your overall TPP schedule.

Sincerely,

A handwritten signature in black ink, appearing to be 'M. Picker', with a stylized, sweeping underline.

Michael Picker
President
California Public Utilities Commission

A handwritten signature in black ink, appearing to be 'Robert B. Weisenmiller', written in a cursive style.

Robert B. Weisenmiller
Chair
California Energy Commission

i In the *2017 IEPR* scheduled for adoption in February, the Energy Commission has emphasized the importance of regional coordination, efficient use of the existing grid and phasing out of the Aliso Canyon natural gas storage facility. *2017 Integrated Energy Policy Report*. California Energy Commission. Publication Number: CEC-100-2017-001-CMF.

Regional Coordination (Chapter 3): “California has targeted increased regional coordination as one of its strategies for achieving the state’s renewable energy and GHG reduction goals. The benefits of increased regional coordination, to both California’s utility customers and those of the entire Western Interconnection, include more efficient use and integration of renewable energy (including hydro in the Pacific Northwest), reduced carbon emissions, more efficient use of the transmission grid, reduced costs, and enhanced reliability.”

Efficient Use of Existing Transmission Grid (Chapter 5): “California’s renewable energy and GHG reduction goals have driven development of significant amounts of utility-scale renewables in the last decade. Unlike most conventional generation, utility-scale renewable energy projects are often far from load centers and, without transmission upgrades, may trigger congestion on the transmission grid.”

“Energy Reliability” Executive Summary: “California must also consider the long-term role of natural gas as California continues ratcheting down its greenhouse gas emissions. In a letter from Energy Commission Chair Robert B. Weisenmiller to CPUC President Michael Picker dated July 19, 2017, the Chair wrote, “With the state’s climate target in mind, Governor Brown has asked me to plan for the permanent closure of the Aliso Canyon natural gas storage facility, and I urge the CPUC to do the same.”

“Zero-Greenhouse Gas Emission Solutions” Executive Summary: “Expanding the use and integration of distributed energy resources is a high priority for California to provide customers low-greenhouse gas opportunities, especially in the Southern California areas affected by the closure of the San Onofre Nuclear Generation Station in 2012 and the massive leakage of methane at the Aliso Canyon natural gas storage facility in 2016.”